



Thin Client

Atrust t32C Citrix Workspace Hub (Raspberry Pi 3B+)



1 Power Button

2 DC IN

3 HDMI Port x 2

4 Audio Out

5 Kensington Lock Slot

6 LAN Port

7 USB 2.0 Port x 3

With the Citrix Ready workspace hub, Atrust introduces a new thin client t32C (powered by Raspberry Pi 3B+ and Pi Zero). The Atrust t32C Citrix workspace hub is designed for organization looking for cost-effective and high-performance solutions for their virtual workspace needs.

With integrated WiFi and Bluetooth, Atrust t32C supports session roaming, QR code login, and screen casting. The Atrust t32C bundled with Atrust Client Setup (ACS) and central management tool Atrust Device Manager (ADM) software, management becomes simple and easy. The Atrust t32C workspace hub is complete with Skype for Business, H.264, and 2 high definition displays.

Atrust t32C Features

- ▶ Dual HDMI display up to 1920 x 1080
- ▶ Optimized for HDX
- ▶ Skype for Business Optimization
- ▶ Citrix Ready Endpoint Certified
- ▶ Integrated with Atrust Device Manager software
- ▶ Quad Core 1.4GHz Broadcom Cortex-A53 CPU
- ▶ Support for WiFi and Bluetooth
- ▶ Low power consumption

Atrust t32C

System	t32C
Processor	Broadcom BCM2837B0 Quad Core Cortex A53@1.4GHz
Memory	
System memory	1GB
Flash memory	8GB
Graphics	
Maximum resolution	Up to 1920 x 1080
I/O Interfaces	
I/O ports	Side: 3 x USB 2.0, 1 x RJ-45 Rear: 2 x HDMI, 1 x Audio Out, 1 x DC IN
Networking	
Ethernet	Gigabit ethernet over USB 2.0 (maximum throughput 300Mbps) – No WOL
WiFi	802.11b/g/n/ac
Bluetooth	Bluetooth 4.2 BLE
Dimensions / Weight	
Dimensions	(W) 105.3 x (D) 72 x (H) 38.8 mm
Weight	182g (approximate)
Environment	
Cooling	Fanless
Operating noise	No noise
Operating temperature	0°C ~ 35°C
Non-operating temperature	-20°C ~ 60°C
Operating humidity (Rh)	20% ~ 80% (non-condensing)
Non-operating humidity (Rh)	5% ~ 95% (non-condensing)
AC Adaptor	
Operating voltage range	100 ~ 240 VAC
Rated line frequency	50 ~ 60 Hz
Rated output current (max)	3A
Output voltage	5V
Software	
Operating system	Atrust OS
Management	Atrust Device Manager (ADM) / Atrust Client Setup (ACS)
Protocol	Citrix® ICA/HDX™
Manufacturing option	VESA Mount

©2019 Atrust Computer Corp. The information contained herein is subject to change without notice. Atrust shall not be liable for technical or editorial errors or omissions contained herein. Microsoft and Windows are trademarks of the Microsoft group of companies. Citrix and ICA/HDX are trademarks of Citrix Systems, Inc.. VMware and Horizon View are trademarks of VMware, Inc.. To learn more, visit www.atrustcorp.com.